

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services - Allegations leveled against S/Sri P. Ashok Kumar, Municipal Engineer and Sri P. Sriram Murthy Municipal Assistant Engineer of Nellore Municipality on alleged irregularities committed in execution of C.C., road works in Nellore Municipality - Enquiry Officer appointed - Enquiry Report submitted - Warning - Orders - Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (E2) DEPARTMENT

G.O.Rt.No. 5

Dated: 02-01-2010
Read the Following:

1. G.O.Rt.No.434, MA&UD (E2) Deptt, dated: 24-03-2005
2. G.O.Rt.No.436, MA&UD (E2) Deptt, dated: 24-03-2005
3. From Sri P. Ashok Kumar, M.E., Statement of defense, dt: 24-05-2005
4. From Sri P. Sriram Murthy, MAE., statement of defense, dt: 24-05-2005
5. G.O.Rt.No.648, MA&UD (E2) Deptt, dated: 05-0-2008
6. From the Inquiry Authority, D.O.Lr.No.610/COI-CK/A4/2008, dt: 16-03-2009.
7. Govt.Memo.No.13622/E2/2004, MA&UD(E2) Deptt, dt: 27-04-2009
8. From P. Sriram Murthy, M.A.E., Explanation dt: 01-05-2009.
9. From Sri Ashok Kumar, M.E., Explanation, dt: 14-05-2009.

<<<>>>

O R D E R

The General Administration (V&E) Department reported that they have inspected the 5 cement concrete road works in Nellore Municipality and found that work entrusted at 4.5% excess over estimate rates by certain Engineers i.e., Sri P. Ashok Kumar, Municipal Engineer and Sri P. Sriram Murthy Municipal Assistant Engineer of Nellore Municipality. They have recommended for initiation of Departmental action in this case.

2. In the references 1st and 2nd read above, Government have framed charges against S/Sri P. Ashok Kumar, Municipal Engineer and P. Sriram Murthy, Municipal Assistant Engineer and they have submitted their statements of defense.

3. Government have examined the statements of defense and having not satisfied with their statements of defense, Smt Chandana Khan, IAS., COI, was appointed as Inquiry Authority. Accordingly they Enquiry Authority has submitted enquiry report and held that the charges are proved against them.

4. In the reference 7th read above, show cause notices have been issued to Sri P. Ashok Kumar, Municipal Engineer and Sri P. Sriram Murthy, Municipal Assistant Engineer and in turn they have submitted their explanations.

5. Government after careful examination of the matter in detail have decided to warn to be more careful in future against Sri P. Ashok Kumar, ME., and Sri P. Sriram Murthy, MAE. Accordingly, Government hereby warns the above two charged officers to be more careful in future.

6. The Engineer - in- Chief (Public Health) shall take further necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

T.S. APPA RAO
PRINCIPAL SECRETAY TO GOVERNMENT

To
The Engineer - in Chief (Public Health), Hyderabad.
Copy to:
Sri P. Ashok Kumar, M.C., (through ENC (PH)).
Sri P. Srirama Murthy, MAE, through ENC (PH).
The GA (V&E) Department,
(w.r.t V.R.No.75 (344/V&E/E2/2004))
The Secretary to AP Vigilance Commission,
MA&UD © Department.

//forwarded by order//

SECTION OFFICER